

UNITED STATES DISTRICT COURT
THE SOUTHERN DISTRICT OF OHIO
EASTERN DIVISION

IN RE: DAVOL, INC./C.R. BARD,
INC., POLYPROPYLENE HERNIA
MESH PRODUCTS LIABILITY
LITIGATION

Case No. 2:18-md-2846

Judge Edmund A. Sargus, Jr.
Magistrate Judge Kimberly A. Jolson

This document relates to:
Tipsword v. Davol, Inc., et al.
Case No. 2:22-cv-105

ORDER

On December 16, 2021, Plaintiff David Tipsword filed a complaint in this multidistrict litigation (“MDL”) (Case No. 21-cv-5821, ECF No. 1). In the complaint, Plaintiff asserts several claims based on alleged injuries caused by a Bard Soft Mesh and a Ventrion ST hernia mesh patch, products manufactured by Defendants. (*Id.*) On January 12, 2022, through different counsel, Plaintiff filed another complaint in this MDL also alleging injuries caused by the Ventrion ST, and alleging injuries caused by the Ventrion Hernia Patch, another product manufactured by Defendants. (ECF No. 1.) On April 13, 2023, Defendants filed a motion to dismiss the instant action as duplicative of Case No. 21-cv-5821. (ECF No. 4.) Plaintiff did not file a response, and the Court will therefore treat the motion as unopposed. Accordingly, Defendants’ motion (ECF No. 4) is **GRANTED** and this case is **DISMISSED**.

IT IS SO ORDERED.

5/15/2023
DATE

s/Edmund A. Sargus, Jr.
EDMUND A. SARGUS, JR.
UNITED STATES DISTRICT JUDGE